



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/692,913	10/24/2003	Ray Y. Lai	5681-66303	9034
58467	7590	01/29/2011		
MHKKG/Oracle (Sun)			EXAMINER	
P.O. BOX 398			WANG, JUE S	
AUSTIN, TX 78767				
			ART UNIT	PAPER NUMBER
			2193	
			NOTIFICATION DATE	DELIVERY MODE
			01/20/2011	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patent_docketing@intprop.com

ptomhkk@gmail.com

Office Action Summary

Application No.

10/692,913

Applicant(s)

LAI, RAY Y.

Examiner

JUE WANG

Art Unit

2193

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 September 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-12, 14-32 and 34-92 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-12, 14-32 and 34-92 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-946)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

1. Claims 1-12, 14-32, and 34-92 have been examined.

Double Patenting

2. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

3. Claims 1, 3, 8-10, 14, 17, 45, 47, 52-54, 56, 57, 69, 71, 76-78, 80, and 81 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 20, 23, 26-28, 35, 37, 38, 41, 44-46, 53, and 55 of U.S. Patent No. 7,831,693.
4. The following is a side-by-side comparison between representative claim 20 of U.S. Patent No. 7,831,693 and the representative claim 1 of the instant application.

claim 20 of U.S. Patent No. 7,831,693	claim 1 of the instant application
20. A method, comprising: performing by one or more computers:	I. A system for integrating Web Services with a business system, comprising: a processor; and a memory comprising program instructions, wherein the program instructions are executable by the processor to implement a Web Services architecture design service configured to generate integrated Web Service architectures for integrating Web Services with business systems, wherein, to generate an integrated Web Service architecture for integrating a specific Web Service with a specific business system, the program instructions are executable by the processor to:
generating a vendor-independent Web Service architecture comprising a plurality of heterogeneous components of the business system in accordance with one or more integration design patterns, ...	generate the integrated Web Service architecture comprising a plurality of heterogeneous components of the business system in accordance with one or more Web Services integration design patterns;
wherein said generating a vendor-independent Web Services architecture comprises: generating one or more Use Cases for the	wherein, to generate an integrated Web Service architecture, the program instructions are further executable by the processor to:

Web Service in accordance with the one or more design patterns; wherein each Use Case models a particular business scenario for the Web Service, ...	generate one or more Use Cases for the integrated Web Service in accordance with one or more Web Services integration design patterns, wherein each Use Case models a particular business scenario for the integrated Web Service;
generating a high-level architecture for the Web Service in accordance with one or more design patterns, wherein said generating the high-level architecture comprises identifying two or more entities of the Web Service and the relationships and interactions among the two or more entities;	generate a high-level architecture for the integrated Web Service in accordance with one or more Web Services integration design patterns, wherein the high-level architecture identifies two or more entities of the integrated Web Service and the relationships and interactions among the entities;
generating a logical architecture for the Web Service according to business scenarios modeled by the one or more Use Cases in accordance with the one or more design patterns, wherein said generating the logical architecture comprises identifying two or more logical components of the Web Service and the relationship among the two or more logical components according to two or	generate a logical architecture for the integrated Web Service according to business scenarios modeled by the one or more Use Cases in accordance with the one or more Web Services integration design patterns, wherein the logical architecture identifies two or more logical components of the integrated Web Service and the relationship among the two or more logical components

more tiers, and wherein the logical architecture comprises two or more layers; and implementing the Web Service according to the Web Service Architecture.	according to two or more tiers, and wherein the logical architecture comprises two or more layers; and providing output indicating the generated integrated Web Service architecture for integrating the specific Web Service with the specific business system.
--	--

5. From the comparison above, the conflicting claims are not patentably distinct from each other even though they are not identical because both the present application and U.S. Patent No. 7,831,693 describe a method of generating a web service architecture comprising a plurality of heterogeneous components in accordance with one or more design patterns, including generating one or more Use Cases, generating a high-level architecture for the web service, and generating a logical architecture for the web service. For example, the system of generating a web services disclosed in claim 1 of the present application is an obvious variation of the method for generating a web service as recited in claim 20 of U.S. Patent No. 7,831,693. While claim 20 of U.S. Patent No. 7,831,693 does not specifically recite that the web service is integrated with a business system and the plurality of heterogeneous components are of a business system, it would have been obvious to one of ordinary skill in the art that the at the time of the invention that the web service would be integrated with a business system since the web service is for a business service as recited in claims 26 and 27 of U.S. Patent No. 7,831,693 and a web service providing business services would be integrated with a business system providing the business

service. While claim 20 of U.S. Patent No. 7,831,693 also does not specifically recite that the design pattern is a Web Services integration design pattern, it would have been obvious to one of ordinary skill in the art that the at the time of the invention that the design patterns are Web Services integration design patterns as recited in claims 33 and 35 of U.S. Patent No. 7,831,693. In addition, claim 8 of the instant application is an obvious variation of claim 23 of U.S. Patent No. 7,831,693, claim 9 of the instant application is an obvious variation of claim 26 of U.S. Patent No. 7,831,693, claim 10 of the instant application is an obvious variation of claim 27 of U.S. Patent No. 7,831,693, claim 14 of the instant application is an obvious variation of claim 35 of U.S. Patent No. 7,831,693, claim 17 of the instant application is an obvious variation of claim 28 of U.S. Patent No. 7,831,693.

6. Claims 18-28, 30, and 58-68 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 3, 6, 7, 9, 15, 16, 18-25, 32-34, 36, 41, 42, 44-49, 51, 54-56, 58, 63, 64, 66-71, and 73 of U.S. Patent No. 7,698,398 B1.

7. Although the conflicting claims are not identical, they are not patentably distinct from each other because both the present application and U.S. Patent No. 7,698,398 B1 describe a system and method for generating a web service. For example, claim 18 of the present application corresponds to claim 18 of U.S. Patent No. 7,698,398, where parent claim 1 of U.S. Patent No. 7,698,398 recites the identify, translate, categorize, organize, apply, and provide output steps, and claim 18 of U.S. Patent No. 7,698,398 recite defining a plurality of integration tiers defining how the plurality of integration tiers communicate with others of the plurality of

integration tiers. While claim 18 of U.S. Patent No. 7,698,398 does not specifically recite that the web service architecture is for implementing integrated business system and that each use case requirement specifies a particular business scenario for the integrated Web Service business system, it would have been obvious to one of ordinary skill in the art that the at the time of the invention that the web service architecture would be for implementing integrated business system and that the use case would specify particular business scenarios since claim 23 of U.S. Patent No. 7,698,398 recites programmable instructions for integration and interoperability with the web services architecture for existing business functionality. In addition, while claim 18 of U.S. Patent No. 7,698,398 does not specifically recite that the one or more design patterns include one or more Web Services integration design patterns for integrating Web Services with business systems, it would have been obvious to one of ordinary skill in the art at the time of the invention that the Web Services design patterns would include integration design patterns as claim 24 of U.S. Patent No. 7,698,398 recite integration design patterns.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claims 1, 2, 5, 6, 8-10, 14-17, 45, 46, 49, 50, 52-54, 56, 57, 69, 70, 73, 74, 76-78, 80, and 81 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US

2003/0233631 A1, hereinafter Curry), in view of Epionet, "Epiowave", further in view of Huang et al. "A Web Services-Based Framework for Business Integration Solutions" (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1).

10. As per claim 1, Curry teaches the invention as claimed, including a system for integrating Web Services with a business system, comprising:

a processor (see [0072], [0076], [0176]; EN: software toolsets such as Epiowave is used to integrate the web service and it is well know in the art that software is executed by a processor); and

a memory comprising program instructions (see [0072], [0076], [0176]; EN: software toolsets such as Epiowave is used to integrate the web service and it is well know in the art that software is stored in memory before being executed by a processor) to generate integrated Web Service architectures for integrating Web Services with business systems (see [0021], [0022], [0024]), wherein, to generate an integrated Web Service architecture for integrating a specific Web Service with a specific business system, the program instructions are executable by the processor to:

generate an integrated Web Service architecture comprising a plurality of heterogeneous components of the business system (see [0021], [0022], [0024]), wherein, to generate the integrated Web Service architecture, the program instructions are further executable by the processor to:

generate one or more Use Cases for the integrated Web Service , wherein each Use Case models a particular business scenario for the integrated Web Service (see [0079]-[0084]);

generate a high-level architecture for the integrated Web Service, wherein the high-level architecture identifies two or more entities of the integrated Web Service and the relationships and interactions among the entities (see [0097]; EN: the context diagram describes the high level architecture); and

generate a logical architecture for the integrated Web Service according to the business scenario modeled by one or more Use Cases, wherein the logical architecture identifies two or more logical components of the integrated Web Service and the relationship among the two or more logical components according to a plurality of integration tiers, and wherein the logical architecture comprises two or more layers (see [0016], [0055]-[0059], [0151]; EN: the framework structure including a number of layers is the logical architecture).

Curry does not explicitly teach implementing a Web Services architecture design service to generate integrated Web Service architectures for integrating Web Services with business systems. However, it would have been obvious to one of ordinary skill in the art at the time of the invention that the system of Curry would include a Web Services architecture design service since the Epiowave toolset used in Curry is capable of planning, prototyping, testing, developing, and deploying web services (see pages 1-2 of Epionet; EN: the Epiowave suite is considered as a Web Services architecture design service).

Curry does not explicitly teach the Use Cases, high-level architecture, and logical architecture is generated in accordance with one or more Web Services integration design patterns.

Huang is cited to teach a method of developing web services based business integration using Web Service integration design patterns (see page 18, right column, paragraph 2, page 20,

left column, paragraphs 2, 3, right column, paragraphs 1-3), where the design patterns are represented as use cases (see Fig 8), high level architecture (see Fig 5).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the Curry's web service development method is performed in accordance with one or more integration design patterns as taught by Huang because design patterns are well known in the art and commonly applied by software engineers at different stages of the development cycle since design patterns provide the benefit of capturing a standard solution to a common programming problem for reuse.

Curry, Epionet, and Huang do not explicitly teach providing output indicating the generated integrated Web Service architecture for integrating the Web Service with the specific business system. However, it would have been obvious to one of ordinary skill in the art at the time of the invention that there would have been an output indicating the generated integrated Web Service architecture because the template is used by developers for customization of enterprise solutions (see [0055] of Curry) and as it is well known in the art that a user must be provided with an indication that a template for a web service exists before that template can be customized (see [0005] of Olsen).

11. As per claim 2, Curry teaches defining a plurality of integration tiers (i.e., logical layers of the application may be each physically separated or may be combined into components that include multiple logical layers, see [0151]), one or more basic components (see [0068], [0148]), and one or more Web Services technologies for integration ([0135], [0136]); and define how each of the plurality of integration tiers communicates with others of the plurality of integration

tiers (i.e., the sub-architectures are linked using XML as a standard communication mechanism, see [0056], [0136], [0151]).

12. As per claim 5, Curry does not explicitly teach the business system is an Enterprise business system.

Huang teaches web services based integration of business solutions including an Enterprise business system (see page 17, right column, paragraph 2, Figure 2, page 18, right column, paragraph 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the business system is an Enterprise business system as taught by Huang because it is well known in the art that web services are provided for Enterprise business systems.

13. As per claim 6, Curry does not explicitly teach the business system is a Cross-Enterprise business system.

Huang teaches web services based integration of business solutions including a Cross-Enterprise business system (see page 16, right column, paragraph 3, bullet B.I, page 17, right column, paragraph 2, Figure 2, page 18, right column, paragraph 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the business system is a Cross-Enterprise business system as taught by Huang because it is well known in the art that web services are provided for Cross-Enterprise business systems.

14. As per claim 8, Curry does not explicitly teach the integrated Web Service architecture comprises: a service provider configured to provide one or more services on an integrated Web Service business system implemented according to the integrated Web Service architecture; and one or more service requesters configured to access the one or more services from the service provider via a network.

Huang teaches the integrated Web Service architecture comprises: a service provider configured to provide one or more services on an integrated Web Service business system implemented according to the integrated Web Service architecture; and one or more service requesters configured to access the one or more services from the service provider via a network (see page 17, Figure 1, left column, paragraphs 1, 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention that the Web Service architecture of Curry would have one or more service providers and one or more service requesters as taught by Huang since service providers and service requesters are part of a web services model well known in the art (see page 17, Figure 1, left column, paragraphs 1, 2 of Huang).

15. As per claim 9, Huang teaches wherein the integrated Web Service business system is a Business-to-Business system, wherein the service provider is a business service provider, and wherein the service requester is an end user (see page 16, right column, last paragraph, bullet B.1).

16. As per claim 10, Huang teaches wherein the integrated Web Service business system is a Business-to-Business system, wherein the service provider is a business service provider, and wherein the service requester is a business server (see page 16, right column, last paragraph, bullet B.3).

17. As per claim 14, Huang teaches the integration design patterns include an Application-to-Application design pattern (see page 20, left column, paragraph 1, Fig. 5; EN: the composite design pattern of the service composition is considered as an Application-to-Application pattern).

18. As per claim 15, Huang teaches the integration pattern includes an Open Process integration design pattern (see page 20, left column, paragraph 3, right column, paragraph 1; EN: the Mediator pattern is considered as an Open Process design pattern).

19. As per claim 16, Huang teaches wherein the design patterns include one of a Service Consolidation-Broker integration design pattern (see page 20, left column, first paragraph, bullet e), right column, paragraph 3; EN: the state pattern used in the Adaptive Document brokering service is considered as a Service Consolidation-Broker integration design pattern).

20. As per claim 17, Curry teaches the layers comprises a transport layer for delivering messages between components of the integrated Web Services (see [0136]); and a management layer configured for provisioning of the integrated Web Services and for monitoring and

administration of the integrated Web Services (i.e., state/session, and user management functions, see [0028]).

21. As per claims 45, 46, 49, 50, 52-54, 56, and 57, the limitations recited in these method claims are substantially similar to those recited in claims 1, 2, 5, 6, 8-10, 14, and 17. Therefore, they are rejected using the same reasons as claims 1, 2, 5, 6, 8-10, 14, and 17.

22. As per claims 69, 70, 73, 74, 76-78, 80, and 81, the limitations recited in these computer-accessible medium claims are substantially similar to those recited in claims 1, 2, 5, 6, 8-10, 14, and 17. Therefore, they are rejected using the same reasons as claims 1, 2, 5, 6, 8-10, 14, and 17.

23. Claims 3, 47, and 71 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Epionet, "Epiowave", further in view of Huang et al. "A Web Services-Based Framework for Business Integration Solutions" (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1), further in view of Curtis et al. (US 2003/0115377 A1, hereinafter Curtis).

24. As per claim 3, Curry teaches wherein the plurality of integration tiers comprises: a presentation tier, a business tier, and a resources tier (see [0016], [0056]-[0059]).

Curry does not explicitly wherein the plurality of integration tiers also comprises a client tier and an integration tier.

Curtis is cited to teach a method for separating an integrated management architecture into tiers, including a client tier, a presentation tier, a business tier, an integration tier, and a resources tier (see [0007], [0028]-[0033]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the plurality of tiers also include a client tier and an integration tier because the n-tier architecture for web services is well known in the art (see [0016] of Curry) and separating web services into a tier structure that including a client tier and an integration tier is also well known (see [0007] of Curtis), therefore, including the client and integration tier is a design choice based on the requirements of the application.

25. As per claim 47, the limitations recited in this method claim are substantially similar to those recited in claim 3. Therefore, it is rejected using the same reasons as claim 3.

26. As per claim 71, the limitations recited in this computer-accessible medium claim are substantially similar to those recited in claim 3. Therefore, it is rejected using the same reasons as claim 3.

27. Claims 4, 48, 72 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Epionet, “Epiowave”, further in view of Huang et al. “A Web Services-Based Framework for Business Integration Solutions” (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1), further in view of Connell et al. (US 2003/0074401 A1, hereinafter Connell).

28. As per claim 4, Curry teaches define one or more Web Services technologies for integration (see [0150], [0151]).

Curry, Epionet, Huang, and Olsen do not explicitly teach integration of one or more Enterprise Application Interface (EAI) products with one or more Web Services technologies.

Connell teaches integration of one or more Enterprise Application Interface (EAI) products with one or more Web Services technologies (see [0002]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry, Epionet, Huang, and Olsen to provide integration of one or more Enterprise Application Interface (EAI) products with one or more Web Services technologies as taught by Connell to provide communication between heterogeneous computers systems interconnected in a computer network such as EAI software and web services (see [0002] of Connell).

29. As per claims 48 and 72, the limitations recited in these claim are substantially similar to those recited in claim 4. Therefore, they are rejected using the same reasons as claims 4.

30. Claims 7, 11, 12, 51, 55, 75, and 79 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Epionet, "Epiowave", further in view of Huang et al. "A Web Services-Based Framework for Business Integration Solutions" (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1), further in view of Chappell et al. "Java Web Services" (hereinafter Chappell).

31. As per claim 7, Curry, Epionet, Huang, and Olsen do not explicitly teach wherein the plurality of heterogeneous components of the business system includes one or more legacy mainframe systems.

Chappell teaches web services with one or more legacy mainframe systems (section 2.1, paragraph 3).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry, Epionet, Huang, and Olsen such that the plurality of heterogeneous components of the business system includes one or more legacy mainframe system as taught by Chappell such that the web service can provide functions that are provided by legacy systems that already exist (see section 2.1, paragraph 3 of Chappell).

32. As per claims 11 and 12, Huang teaches the design patterns include one or more integration and interoperability design patterns including a asynchronous web service design pattern (i.e., asynchronous transaction support using the command pattern to encapsulate requests, see page 18, right column, paragraph 3, bullet 2, page 20, right column, paragraph 2). Huang does not explicitly teach the design pattern is directed to mainframes, however, it would have been obvious to one of ordinary skill in the art at the time of the invention that the design pattern for transaction could be directed to mainframes since web services are commonly provided for mainframe systems to access functionality provided by the mainframe system (see section 2.1, paragraph 3 of Chappell).

33. As per claims 51 and 75, the limitations recited in these claims are substantially similar to those recited in claim 7. Therefore, they are rejected using the same reasons as claim 7.

34. As per claims 55 and 79, the limitations recited in these claims are substantially similar to those recited in claim 12. Therefore, they are rejected using the same reasons as claim 12.

35. Claims 18-24, 28, 29, 58-64, 68, 82-88, and 92 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Epionet, "Epiowave", further in view of Siegel, "Using OMG's Model Driven Architecture (MDA) to Integrate Web Services", further in view of Huang et al. "A Web Services-Based Framework for Business Integration Solutions" (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1).

36. As per claim 18, Curry teaches the invention as claimed, including a system for generating an integrated Web Service architecture, comprising:

a processor (see [0072], [0076], [0176]; EN: software toolsets such as Epiowave is used to integrate the web service and it is well know in the art that software is executed by a processor); and

a memory comprising program instructions (see [0072], [0076], [0176]; EN: software toolsets such as Epiowave is used to integrate the web service and it is well know in the art that software is stored in memory before being executed by a processor) to generate integrated Web Service architectures for integrating Web Services with business systems (see [0021], [0022],

[0024]), wherein, to generate an integrated Web Service architecture for integrating a specific Web Service with a specific business system, the program instructions are executable by the processor to:

identify one or more components of the integrated Web Service architecture according to one or more use case requirements for the specific integrated Web Service business system (see Fig 2, [0051], [0052], [0074]-[0080]), wherein each use case requirement specifies a particular business scenario for the integrated Web Service business system (see [0079]-[0084]);

determining a plurality of Web Service components for the integrated Web Service architecture, wherein the Web Service components include software components (i.e., prototypes and classes are developed, see [0118], [0119], [0150]);

categorizing the Web Service components into two or more related groups according to a Web Services architecture integration framework (i.e., categorization of components so that a search engine can be used for efficient retrieval, see [0164]).

define a plurality of integration tiers and one or more Web Services technologies according to a Web Services architecture integration framework (i.e., logical layers of the application may be each physically separated or may be combined into components that include multiple logical layers, see [0056]-[0059], [0151]);

define how each of the plurality of integration tiers communicates with others of the plurality of integration tiers in the integrated Web Service architecture according to the Web Services architecture integration framework (i.e., the sub-architectures are linked using XML as a standard communication mechanism, see [0056], [0136], [0151]);

organize the groups of Web Service components according to the plurality of integration tiers and two or more layers of the integrated Web Service architecture (see [0016], [0057]-[0059], [0151]);

Curry does not explicitly teach implementing a Web Services architecture design service to generate integrated Web Service architectures for integrating Web Services with business systems. However, it would have been obvious to one of ordinary skill in the art at the time of the invention that the system of Curry would include a Web Services architecture design service since the Epiowave toolset used in Curry is capable of planning, prototyping, testing, developing, and deploying web services (see pages 1-2 of Epionet; EN: the Epiowave suite is considered as a Web Services architecture design service).

Curry and Epionet do not teach translate the one or more use case requirements for the specific integrated Web Service business system and one or more technical constraints for the specific integrated Web Service business system to determine a plurality of Web Service components for the integrated Web Service architecture, wherein the Web Service components include software components.

Siegel teaches a method of integrating web services with business systems, including translating one or more use case requirements for the specific Web Service business system and one or more technical constraints for the specific integrated Web Service business system to determine a plurality of Web Service components for the integrated Web Service architecture, wherein the Web Service components include software components (i.e., MDA tools generate interface definitions, application code, makefiles, and configuration files for the PSM's middleware platform, see page 5, last paragraph, page 6, paragraphs 1-3, page 8, last paragraph).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry and Epionet to translate the one or more use case requirements for the specific integrated Web Service business system and one or more technical constraints for the specific integrated Web Service business system to determine a plurality of Web Service components for the integrated Web Service architecture as taught by Siegel such that tools can automate and thereby simplify most of the building of distributed applications (see page 1, paragraph 3 of Siegel).

Curry does not explicitly teach applying one or more Web Services integration design patterns to the integrated Web Service architecture where appropriate.

Huang is cited to teach a method of developing web services based business integration using integration design patterns for integrating Web Services with business systems (see page 18, right column, paragraph 2, page 20, left column, paragraphs 2, 3, right column, paragraphs 1-3).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the web service architecture is generated in accordance with one or more Web Services integration design patterns as taught by Huang because design patterns are well known in the art and commonly used by programmers since design patterns provide the benefit of capturing a standard solution to a common programming problem for reuse.

Curry, Epionet, Siegel, and Huang do not explicitly teach providing output indicating the generated integrated Web Service architecture for integrating the Web Service with the specific business system. However, it would have been obvious to one of ordinary skill in the art at the

time of the invention that there would have been an output indicating the generated integrated as Web Service architecture because the template is used by developers for customization of enterprise solutions (see [0055] of Curry) and as it is well known in the art that a user must be provided with an indication that a template for a web service exists before that template can be customized (see [0005] of Olsen).

37. As per claim 19, Curry does not explicitly teach the integrated Web Service architecture comprises: a service provider configured to provide one or more services on an integrated Web Service business system implemented according to the integrated Web Service architecture; and one or more service requesters configured to access the one or more services from the service provider via a network.

Huang teaches the integrated Web Service architecture comprises: a service provider configured to provide one or more services on an integrated Web Service business system implemented according to the integrated Web Service architecture; and one or more service requesters configured to access the one or more services from the service provider via a network (see page 17, Figure 1, left column, paragraphs 1, 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention that the Web Service architecture of Curry would have one or more service providers and one or more service requesters as taught by Huang since service providers and service requesters are part of a web services model well known in the art (see page 17, Figure 1, left column, paragraphs 1, 2 of Huang).

38. As per claim 20, Huang teaches wherein the integrated Web Service business system is a Business-to-Business system, wherein the service provider is a business service provider, and wherein the service requester is an end user (see page 16, right column, last paragraph, bullet B.1).

39. As per claim 21, Huang teaches wherein the integrated Web Service business system is a Business-to-Business system, wherein the service provider is a business service provider, and wherein the service requester is a business server (see page 16, right column, last paragraph, bullet B.3).

40. As per claim 22, Curry teaches two or more layers of the integrated Web Service architecture comprises a transport layer for delivering messages between components of the integrated Web Services (see [0136]); and a management layer configured for provisioning of the integrated Web Services and for monitoring and administration of the integrated Web Services (i.e., state/session, and user management functions, see [0028]).

41. As per claim 23, Curry does not explicitly teach the specific integrated Web Service business system is an Enterprise business system.

Huang teaches web services based integration of business solutions including an Enterprise business system (see page 17, right column, paragraph 2, Figure 2, page 18, right column, paragraph 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the business system is an Enterprise business system as taught by Huang because it is well known in the art that web services are provided for Enterprise business systems.

42. As per claim 24, Curry does not explicitly teach the specific integrated Web Service business system is a Cross-Enterprise business system.

Huang teaches web services based integration of business solutions including a Cross-Enterprise business system (see page 16, right column, paragraph 3, bullet B.1, page 17, right column, paragraph 2, Figure 2, page 18, right column, paragraph 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the business system is a Cross-Enterprise business system as taught by Huang because it is well known in the art that web services are provided for Cross-Enterprise business systems.

43. As per claim 28, Huang teaches the integration design patterns include an Application-to-Application design pattern (see page 20, left column, paragraph 1, Fig. 5; EN: the composite design pattern of the service composition is considered as an Application-to-Application pattern).

44. As per claim 29, Huang teaches the integration pattern includes an Open Process integration design pattern (see page 20, left column, paragraph 3, right column, paragraph 1; EN: the Mediator pattern is considered as an Open Process design pattern).

45. As per claims 58-64 and 68, the limitations recited in these method claims are substantially similar to those recited in claims 18-24 and 28. Therefore, they are rejected using the same reasons as claims 18-24 and 28.

46. As per claims 82-88, and 92, the limitations recited in these computer-accessible medium claims are substantially similar to those recited in claims 18-24, and 28. Therefore, they are rejected using the same reasons as claims 18-24, and 28.

47. Claims 25, 30, 65, and 89 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Epionet, "Epiowave", further in view of Siegel. "Using OMG's Model Driven Architecture (MDA) to Integrate Web Services", further in view of Huang et al. "A Web Services-Based Framework for Business Integration Solutions" (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1), further in view of Chappell et al. "Java Web Services" (hereinafter Chappell).

48. As per claim 25, Curry, Epionet, Siegel, Huang, and Olsen do not explicitly teach wherein the plurality of Web Service components of the integrated Web Service architecture includes one or more legacy mainframe systems.

Chappell teaches web services with one or more legacy mainframe systems (section 2.1, paragraph 3).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry, Epionet, Siegel, Huang, and Olsen such that the plurality of

heterogeneous components of the business system includes one or more legacy mainframe system as taught by Chappell such that the web service can provide functions that are provided by legacy systems that already exist (see section 2.1, paragraph 3 of Chappell).

49. As per claim 30, Huang teaches the design patterns include one or more integration and interoperability design patterns including a asynchronous web service design pattern (i.e., asynchronous transaction support using the command pattern to encapsulate requests, see page 18, right column, paragraph 3, bullet 2, page 20, right column, paragraph 2). Huang does not explicitly teach the design pattern is directed to mainframes, however, it would have been obvious to one of ordinary skill in the art at the time of the invention that the design pattern for transaction could be directed to mainframes since web services are commonly provided for mainframe systems to access functionality provided by the mainframe system (see section 2.1, paragraph 3 of Chappell).

50. As per claims 65 and 89, the limitations recited in these claims are substantially similar to those recited in claim 25. Therefore, they are rejected using the same reasons as claim 25.

51. Claims 26, 66, and 90 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Epionet, "Epiowave", further in view of Siegel. "Using OMG's Model Driven Architecture (MDA) to Integrate Web Services", further in view of Huang et al. "A Web Services-Based Framework for Business

Integration Solutions” (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1), further in view of Connell et al. (US 2003/0074401 A1, hereinafter Connell).

52. As per claim 26, Curry, Epionet, Siegel, Huang, and Olsen do not explicitly teach integration of one or more Enterprise Application Interface (EAI) products with one or more Web Services technologies.

Connell teaches integration of one or more Enterprise Application Interface (EAI) products with one or more Web Services technologies (see [0002]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry, Epionet, Siegel, Huang, and Olsen to provide integration of one or more Enterprise Application Interface (EAI) products with one or more Web Services technologies as taught by Connell to provide communication between heterogeneous computers systems interconnected in a computer network such as EAI software and web services (see [0002] of Connell).

53. As per claims 66 and 90, the limitations recited in these claims are substantially similar to those recited in claim 26. Therefore, they are rejected using the same reasons as claim 26.

54. Claims 27, 67, and 91 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Epionet, “Epiowave”, further in view of Siegel, “Using OMG’s Model Driven Architecture (MDA) to Integrate Web Services”, further in view of Huang et al. “A Web Services-Based Framework for Business

Integration Solutions” (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1), further in view of Curtis et al. (US 2003/0115377 A1, hereinafter Curtis).

55. As per claim 27, Curry teaches wherein the plurality of integration tiers comprises: a presentation tier, a business tier, and a resources tier (see [0016], [0056]-[0059]).

Curry does not explicitly wherein the plurality of integration tiers also comprises a client tier and an integration tier.

Curtis is cited to teach a method for separating an integrated management architecture into tiers, including a client tier, a presentation tier, a business tier, an integration tier, and a resources tier (see [0007], [0028]-[0033]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the plurality of tiers also include a client tier and an integration tier because the n-tier architecture for web services is well known in the art (see [0016] of Curry) and separating web services into a tier structure that including a client tier and an integration tier is also well known (see [0007] of Curtis), therefore, including the client and integration tier is a design choice based on the requirements of the application.

56. As per claims 67 and 91, the limitations recited in these claims are substantially similar to those recited in claim 27. Therefore, they are rejected using the same reasons as claim 27.

57. Claims 31, 34, 35, 37-39, and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Curtis et al.

(US 2003/0115377 A1, hereinafter Curtis), further in view of Epionet, “Epiowave”, further in view of Huang et al, “A Web Services-Based Framework for Business Integration Solutions” (hereinafter Huang).

58. As per claim 31, Curry teaches the invention as claimed, including an integrated Web Services business system, comprising:

one or more computers configured to implement (see [0072], [0076], [0176]; EN: software toolsets such as Epiowave is used to integrate the web service and it is well know in the art that software is executed by a computer):

a plurality of heterogeneous business components of the integrated Web Services business system (see [0024], [0151]);

a plurality of integration tiers of the integrated Web Services business system, wherein the plurality of integration tiers comprises a presentation tier, a business tier, and a resources tier (i.e., automating layer separability, see [0016], [0028]);

an integrated Web Service comprising one or more Web Services technologies for the integrated Web Services business system, wherein the integrated Web Service is configured to provide interoperability among the plurality of heterogeneous business components via a network (i.e., web service applications are created by integrating the classes and components according to the business object framework, see [0024]);

generating integrated Web Service architectures for integrating Web Services technologies with business systems comprising heterogeneous business components such that:

a plurality of heterogeneous business components are organized according to the plurality of integration tiers and two or more layers of the integrated Web Service architecture(see [0057]-[0059], [0151]).

Curry does not explicitly wherein the plurality of integration tiers also comprises a client tier and an integration tier.

Curtis is cited to teach a method for separating an integrated management architecture into tiers, including a client tier, a presentation tier, a business tier, an integration tier, and a resources tier (see [0007], [0028]-[0033]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the plurality of tiers also include a client tier and an integration tier because the n-tier architecture for web services is well known in the art (see [0016] of Curry) and separating web services into a tier structure that including a client tier and an integration tier is also well known (see [0007] of Curtis), therefore, including the client and integration tier is a design choice based on the requirements of the application.

Curry does not explicitly teach a computer-implemented Web Services business system architecture design service to generate integrated Web Service architectures for integrating Web Services with business systems. However, it would have been obvious to one of ordinary skill in the art at the time of the invention that the system of Curry would include a Web Services architecture design service since the Epiowave toolset used in Curry is capable of planning, prototyping, testing, developing, and deploying web services (see pages 1-2 of Epionet; EN: the Epiowave suite is considered as a Web Services architecture design service).

Curry does not explicitly teach that the integrated web services business system is configured according to one or more design patterns for integrating Web Services with business systems.

Huang is cited to teach a method of developing web services based business integration using integration design patterns for integrating Web Services with business systems (see page 18, right column, paragraph 2, page 20, left column, paragraphs 2, 3, right column, paragraphs 1-3).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the web service architecture is generated in accordance with one or more integration design patterns for integrating Web Services with business systems as taught by Huang because design patterns are well known in the art and commonly used by programmers since design patterns provide the benefit of capturing a standard solution to a common programming problem for reuse.

59. As per claim 34, Curry does not explicitly teach the business system is an Enterprise business system.

Huang teaches web services based integration of business solutions including an Enterprise business system (see page 17, right column, paragraph 2, Figure 2, page 18, right column, paragraph 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the business system is an Enterprise business system as taught

by Huang because it is well known in the art that web services are provided for Enterprise business systems.

60. As per claim 35, Curry does not explicitly teach the business system is a Cross-Enterprise business system.

Huang teaches web services based integration of business solutions including a Cross-Enterprise business system (see page 16, right column, paragraph 3, bullet B.1, page 17, right column, paragraph 2, Figure 2, page 18, right column, paragraph 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the business system is a Cross-Enterprise business system as taught by Huang because it is well known in the art that web services are provided for Cross-Enterprise business systems.

61. As per claim 37, Curry does not explicitly teach the integrated Web Service architecture comprises: a service provider configured to provide one or more services on an integrated Web Service business system implemented according to the integrated Web Service architecture; and one or more service requesters configured to access the one or more services from the service provider via a network.

Huang teaches the integrated Web Service architecture comprises: a service provider configured to provide one or more services on an integrated Web Service business system implemented according to the integrated Web Service architecture; and one or more service

requesters configured to access the one or more services from the service provider via a network (see page 17, Figure 1, left column, paragraphs 1, 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention that the Web Service architecture of Curry would have one or more service providers and one or more service requesters as taught by Huang since service providers and service requesters are part of a web services model well known in the art (see page 17, Figure 1, left column, paragraphs 1, 2 of Huang).

62. As per claim 38, Huang teaches wherein the integrated Web Service business system is a Business-to-Business system, wherein the service provider is a business service provider, and wherein the service requester is an end user see page 16, right column, last paragraph, bullet B.1).

63. As per claim 39, Huang teaches wherein the integrated Web Service business system is a Business-to-Business system, wherein the service provider is a business service provider, and wherein the service requester is a business server (see page 16, right column, last paragraph, bullet B.3).

64. As per claim 41, Huang teaches the design patterns include one or more integration design patterns (see page 20, left column, paragraphs 2, 3, right column, paragraphs 1-3).

65. Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Curtis et al. (US 2003/0115377 A1, hereinafter Curtis), further in view of Epionet, “Epiowave”, further in view of Huang et al. “A Web Services-Based Framework for Business Integration Solutions” (hereinafter Huang), further in view of Connell et al. (US 2003/0074401 A1, hereinafter Connell).

66. As per claim 32, Curry, Curtis, Epionet, and Huang do not explicitly teach integration of one or more Enterprise Application Interface (EAI) products with one or more Web Services technologies.

Connell teaches integration of one or more Enterprise Application Interface (EAI) products with one or more Web Services technologies (see [0002]).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry, Curtis, Epionet, and Huang to provide integration of one or more Enterprise Application Interface (EAI) products with one or more Web Services technologies as taught by Connell to provide communication between heterogeneous computers systems interconnected in a computer network such as EAI software and web services (see [0002] of Connell).

67. Claims 36 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Curtis et al. (US 2003/0115377 A1, hereinafter Curtis), further in view of Epionet, “Epiowave”, further in view of Huang et al. “A

Web Services-Based Framework for Business Integration Solutions” (hereinafter Huang), further in view of Chappell et al. “Java Web Services” (hereinafter Chappell).

68. As per claim 36, Curry, Curtis, Epionet, and Huang do not explicitly teach wherein the plurality of heterogeneous components of the business system includes one or more legacy mainframe systems.

Chappell teaches web services with one or more legacy mainframe systems (section 2.1, paragraph 3).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry, Curtis, Epionet, and Huang such that the plurality of heterogeneous components of the business system includes one or more legacy mainframe system as taught by Chappell such that the web service can provide functions that are provided by legacy systems that already exist (see section 2.1, paragraph 3 of Chappell).

69. As per claims 40, Huang teaches the design patterns include one or more integration and interoperability design patterns including a asynchronous web service design pattern (i.e., asynchronous transaction support using the command pattern to encapsulate requests, see page 18, right column, paragraph 3, bullet 2, page 20, right column, paragraph 2). Huang does not explicitly teach the design pattern is directed to mainframes, however, it would have been obvious to one of ordinary skill in the art at the time of the invention that the design pattern for transaction could be directed to mainframes since web services are commonly provided for

mainframe systems to access functionality provided by the mainframe system (see section 2.1, paragraph 3 of Chappell).

70. Claims 42 and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Huang et al. "A Web Services-Based Framework for Business Integration Solutions" (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1).

71. As per claim 42, Curry is cited to teach the invention as claimed, including a system integrating Web Services with a business system, comprising:

computer-implemented means for generating an integrated Web Services architecture for integrating a Web Service with a business system comprising a plurality of heterogeneous components (see [0055]-[0059], [0104]-[0107]; EN: the pre-built architecture is a Web Services architecture);

computer-implemented means for applying a Web Services structured methodology to the generated integrated Web Service architecture to identify a plurality of integrated Web Service components including one or more of the business system components and to organize the integrated Web Service components according to the integrated Web Service architecture, wherein the plurality of integrated Web Service components are organized according to two or more integration tiers and two or more layers of the integrated Web Service architecture (see [0016], [0055]-[0059], [0104]-[0107], [0151]); and

wherein said computer-implemented means for applying a Web Services structured methodology to the generated integrated Web Service architecture comprises means for providing integration and interoperability with the integrated Web Service architecture for existing business functionality of the business system (see [0058]);

computer-implemented means for providing output indicating the generated integrated Web Service architecture for integrating the Web Service with the business system (i.e., a prototype is defined to demonstrate functions to a customer or end user, see [0110]; EN: the output is the packaged web service); and

computer-implemented means for implementing the integrated Web Service comprising the plurality of integrated Web Services components organized according to the integrated Web Service architecture (see [0024]-[0027], [0062]-[0071]).

Curry does not explicitly teach that the integrated web services business system is configured according to one or more design patterns.

Huang is cited to teach a method of developing web services based business integration using integration design patterns (see page 18, right column, paragraph 2, page 20, left column, paragraphs 2, 3, right column, paragraphs 1-3).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the web service architecture is generated in accordance with one or more integration design patterns as taught by Huang because design patterns are well known in the art and commonly used by programmers since design patterns provide the benefit of capturing a standard solution to a common programming problem for reuse.

Curry and Huang do not explicitly teach computer implemented means for providing output indicating the generated integrated Web Service architecture for integrating the Web Service with the specific business system. However, it would have been obvious to one of ordinary skill in the art at the time of the invention that there would have been an output indicating the generated integrated Web Service architecture because the template is used by developers for customization of enterprise solutions (see [0055] of Curry) and as it is well known in the art that a user must be provided with an indication that a template for a web service exists before that template can be customized (see [0005] of Olsen).

72. As per claim 43, Curry does not explicitly teach the business system is one of an Enterprise business system and a Cross-Enterprise business system.

Huang teaches web services based integration of business solutions including an Enterprise business system (see page 17, right column, paragraph 2, Figure 2, page 18, right column, paragraph 2) and a Cross-Enterprise business system (see page 16, right column, paragraph 3, bullet B.1, page 17, right column, paragraph 2, Figure 2, page 18, right column, paragraph 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry such that the business system is an Enterprise business system as taught by Huang because it is well known in the art that web services are provided for Enterprise business systems and Cross-Enterprise business system.

73. Claim 44 is rejected under 35 U.S.C. 103(a) as being unpatentable over Curry et al. (US 2003/0233631 A1, hereinafter Curry), in view of Huang et al. "A Web Services-Based Framework for Business Integration Solutions" (hereinafter Huang), further in view of Olsen (US 2004/0243583 A1), further in view of Chappell et al. "Java Web Services" (hereinafter Chappell).

74. As per claim 44, Curry, Huang, and Olsen do not explicitly teach wherein the plurality of integrated Web Service components includes one or more legacy mainframe systems of the business system.

Chappell teaches web services with one or more legacy mainframe systems (section 2.1, paragraph 3).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have modified Curry, Huang, and Olsen such that the plurality of heterogeneous components of the business system includes one or more legacy mainframe system as taught by Chappell such that the web service can provide functions that are provided by legacy systems that already exist (see section 2.1, paragraph 3 of Chappell).

Response to Arguments

75. Rejection of claims under §103(a):

76. As per independent claim 1, Applicants argued that Curry does not teach the invention as claimed because Curry fails to teach program instructions executable by a processor to perform the steps as recited in the limitation. Applicant argued that Curry does not describe a computer

system that implements the method illustrated in Fig 1. At most, Curry describes that particular steps or sub-steps of Curry's method may be assisted by or performed using existing software tools. Applicant also argued that the Epionet/Epiowave reference may broadly assert that the toolset may provide for "planning, prototyping, testing, developing, and deploying web services;"; however, the references do not teach that Epionet/Epiowave platform performs the elements of the subject matter as recited in claim 1. Applicant's arguments have been fully considered and Examiner respectfully disagrees. Examiner submits that the Epiowave software as described in Curry and Epionet/Epiowave provide the programmable instructions to perform the steps because Examiner interprets the programmable instructions to generate the use cases, high-level architectures, logical structure etc. as programmable instructions that generate the use cases, high-level architectures etc. based on user input, so a user may design the use case, high-level architecture according to the method of Curry, and the programmable instructions provided by Epiowave are used by the user to generate a digital representation of the artifacts according to the method of Curry. As such, Examiner believes that Curry meets these limitations because even though user input is required for designing the use cases, context diagrams etc., the ultimate product is a software artifact in digital format (see [0172]) and modeling software tools, code development software tools, and deployment tools are used to model, develop, and deploy the application. Applicant appears to argue that the claim as recited requires a completely automated computer process to generate a Web Service architecture that does not require any user input. However, Examiner submits that the specification recites user input in generating the use cases, high-level architecture, and logical architecture, i.e., "integrated Web Service architecture design mechanism 610 may receive integrated Web Service requirements 612 as input, and using the

input, assist a user in generating an integrated Web Services architecture 614 as output" (page 107, lines 22-25 of the specification), "architects may collect user requirements and technical requirements, and encapsulate them into use case requirements" (page 243, lines 21-23 of the specification), "architects may apply the Web Services architecture framework 222, apply Web Services architecture principles 223, define high-level architecture 226, generate logical architecture 228, map the logical component to the meta-architecture framework, and decompose by tiers and layers 230." (page 243, lines 27-30 of the specification), "

77. Applicant also argued that Curry teaches a standard framework structure that clearly pre-exists because the framework is prebuilt. Applicant argued that a specific instance of the framework template would still just be a copy of Curry's standard framework architecture that may be modified, and does not teach a system comprising program instructions executable to implement a Web Service architecture design service for integrating a specific Web Service with a specific business system. In response, Examiner submits that the pre-built framework is used as a blueprint or generic application based upon which the specific application is generated and additional customization is added to the framework template for the specific web service under development (see [0055]). Since the framework template is a software artifact, any customization performed for the framework template would be performed by computer instructions to reflect the changes in the software artifact.

78. As per independent claim 1, Applicant argued that Curry does not teach that this Use Case Analysis generates one or more Use Case for an integrated Web Service in accordance with

one or more Web Service integration design pattern. Huang does not teach generating one or more Use Cases for an integrated Web Service in accordance with one or more Web Services integration design patterns. Applicant's arguments have been fully considered and Examiner respectfully disagrees. Examiner submits that Huang teaches representing design patterns with use cases (see page 20, Fig 6, page 21, Fig 8 of Huang) where Fig 8 is considered as a use case of a web service that includes the mediator design pattern shown in Fig 6. Examiner believes that it is well known in the art that design patterns provide a template for solving a problem and software engineers widely use design patterns at different stages of software development life cycle to solve problems following that template. There is no restriction on when the design pattern can be employed in a development cycle and it is obvious that all artifacts for a specific development project could reflect the design pattern when a design pattern is applied in a development project. Therefore, Examiner believes that it is obvious that one of ordinary skill in the art such as a software engineer, developing use cases for a particular problem (i.e., web service with business integration) would have the necessary skills to use known design patterns during this development stage for that particular problem.

79. As per independent claim 1, Applicant argued that Curry does not teach generating one or more high level architecture for an integrated Web Service in accordance with one or more Web Service integration design pattern. Huang does not teach generating one or more high level architecture for an integrated Web Service in accordance with one or more Web Services integration design patterns. Applicant's arguments have been fully considered and Examiner respectfully disagrees. Examiner submits that Huang teaches representing high level architecture

according to a design pattern (see page 20, Fig 5 of Huang) where Fig 5 is considered as a high level architecture according to the composite design. Examiner believes that it is well known in the art that design patterns provide a template for solving a problem and software engineers widely use design patterns at different stages of software development to solve problems following that template. Examiner believes that it is obvious that a software engineer, being aware of design pattern directed to the problem that he is solving, would apply the design pattern at different stages of development life cycle and not confine the use of the design pattern to any specific stage of development. In addition, it is obvious that all artifacts for a specific development project could reflect the design pattern when a design pattern is applied in a development project. Therefore, Examiner submits that it is obvious that one of ordinary skill in the art such as a software engineer, developing high level architecture for a particular problem (i.e., web service with business integration) would have the necessary skills to use known design patterns during this development stage for that particular problem.

80. As per claim 1, Applicant argued that Curry does not teach that the "framework structure" is generated according to the business scenario modeled by the one or more Use Cases and in accordance with one or more Web Services integration design patterns. In response, Examiner submits that the framework structure is generated according to the business scenario modeled by the one or more Use Cases since the Use Cases and framework structure are all used to address the same problem and the framework structure step occurs after the Use Case step (see Fig 1, [0051], [0055], [0074]). In addition, Huang teaches Web Service integration design patterns. Examiner submits that it would have been obvious to one of ordinary skill in the art that the

framework structure would be generated in accordance with one or more Web Service integration design pattern as taught by Huang because a software engineer, being aware of design pattern directed to the problem that he is solving, would apply the design pattern at different stages of development and not confine the use of the design pattern to any specific stage of the development life cycle.

81. As per claim 1, Applicant argued that Curry only teaches that the "framework structure" may include layers, and does not teach a logical architecture that identifies two or more logical components of the integrated Web Service and the relationship between the two or more logical components according to a plurality of integration tiers and teaches the logical components comprises two or more layers. In response, Examiner submits that Curry teaches that tier and layer are used interchangeably (see [0016]). Therefore, Curry teaches a plurality of integration tiers and two or more layers by teaching that the sub-architectures contain a number layers because the tiers and layers are used interchangeably in the Curry reference. In addition, Examiner notes that tiers and layers sometimes do have different meaning in the art with tiers referring to a physical separation of components and layer referring to a logical separation. However, even with this different definition for tiers and layers, Curry still meets the limitation because Curry teaches logical separation (i.e., layers) and physical separation (i.e., application may be each physically separated or may be combined into components that include multiple logical layers, see [0151]).

82. As per claim 1, Applicant also argued that the office fail to establish a proper prima facie reason to combine Curry and Huang because it is unclear how Curry's system would be modified with these specific design patterns, much less how the modification could be made without changing the principle of operation of Curry's "Web Service development method" as disclosed. Curry and Huang each propose distinctly different methods for achieving similar results. The Office provides no support as how Curry's system would be modified with these specific design patterns, much less how the modification can be made without changing the principle of operation of Curry's web services development method. In response, Examiner respectfully disagrees with Applicant's assessment. Curry is directed to a Web service development method and Huang is directed to design patterns usable in web services. Examiner submits that it is well known in the art that design patterns provide a template for solving a problem and that software engineers knows how to apply design patterns during software development. Curry is modified by Huang in that the design patterns taught by Huang are used in developing the web service according to the method of Curry.

As per the combination of Curry and Epiowave, Applicant argued that Curry does not describe any other aspect of Curry's system using Epiowave. In response, Examiner submits that Epionet/Epiowave provide the toolset to perform the steps as taught by Curry because Curry teaches that toolsets could be used to perform the steps (see [0176]). The method described by Curry involves the planning, prototyping, testing, developing, and deploying of a web service and the Epiowave toolset is one such example that is capable of planning, prototyping, testing, developing, and deploying web services and therefore, Epiowave would be capable of supplying the necessary toolset functionalities for the method of Curry to develop the necessary artifacts.

83. As per independent claim 18, Applicant argued that Siegel does not specially teach that the MDA tools translate one or more use case requirements for a specific Web Service business system and one or more technical constraints for the specific integrated Web Service business system to determine a plurality of Web Service components for an integrated Web Service architecture. Applicant's arguments have been fully considered and Examiner disagrees.

Examiner submits that Siegel teaches translating use case requirements and technical constraints (i.e., UML models that specifies every detail of business functionality and behavior where it is well known in the art that use cases are one type of UML model and business functionality and behavior are considered as technical constraints) of a Web Service to determine a plurality of components for the Web Service (see page 5, last paragraph, page 6, paragraphs 1-3). Applicant also argued the Office has not provided a proper prima facie reason to combine Curry/Epionet with Siegel. Examiner respectfully disagree that the proposed modification could be made without changing the principle of operation of Curry/Epionet as Curry teaches generating use cases and the modification with Siegel would be to translate those use cases generated by Curry using the technology of Siegel to simplify most of the building of distributed applications.

84. As per independent claim 18, Applicant argued that Curry does not teach categorize the Web Service components into two or more related groups according to a Web Service architecture integration framework. Applicant argued that the "categorization step" for sorting or indexing components to be put into a master library as taught in paragraph [0164] of Curry has nothing to do with categorizing Web Service components into two or more related groups according to a Web Service integration framework as part of generating an integrated Web

Service architecture for implementing a specific integrated Web Service business system. In response, Examiner first notes that it is not clear to the Examiner how the categorization step of Curry has nothing to do with the categorization of the instant claim. Examiner speculates that the Applicant is arguing that the categorization step of Curry is directed to reusing the Web Service component while the limitation does not intend reuse as the purpose of categorization. However, Examiner submits that the categorization step of Curry still teaches the categorization limitation as recited since the categorize web service components is performed as part of the development process of the Web Service regardless of whether the purpose of categorization in Curry is to index the component in a library for reuse.

85. As per the rest of the arguments for independent claims 18, 31, and 42, the arguments presented are similar to those presented for claim 1. Therefore, the arguments are not persuasive for the same reasons as those presented for claim 1.

Conclusion

86. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Kompalli et al. (US 7,213,227 B2) is cited to teach rapid application integration using an integrated development environment.
- Crupi et al. (US 2002/0073396 A1) is cited to teach method and apparatus for developing enterprise application using design patterns.

87. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jue S. Wang whose telephone number is (571) 270-1655. The examiner can normally be reached on M-F 9:30 am - 5:00pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lewis Bullock can be reached on 571-272-3759. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Lewis A. Bullock, Jr./
Supervisory Patent Examiner, Art Unit 2193

Jue Wang
Examiner
Art Unit 2193